

Report No.: SFT21100825216-04E Date: Oct.15, 2021 Page 1 of 12

Radiolink Electronic Limited Applicant:

Address: 3/F, Building 2, Fuguo industrial park, Kaifeng Road, Meilin, Shenzhen, Guangdong China

The following merchandise was (were) submitted and identified by client as:

Sample Name: Flight controller

Model No.: Byme-A Additional No .: Byme-D

Manufacturer: Radiolink Electronic Limited

Address: 3/F,Building 2, Fuguo industrial park, Kaifeng Road, Meilin, Shenzhen, Guangdong China

Test Period: From Oct.08, 2021 to Oct.12, 2021

SUMMARY OF TEST RESULTS

| TEST REQUESTED | CONCLUSION |
|--|------------|
| Heavy Metals, Flame Retardants and Phthalates Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission Delegated | PASS |
| Directive (EU) 2015/863 | |


Test Result(s): Please refer to next page(s).

Signed for and on Behalf of SFT


Jack Zhong / Technical Manager Guangdong Safety Testing Co., Ltd.




Photo of the Submitted Sample










Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/







| Test Item(s) | Component Description(s) | Style |
|--------------|--|--------------|
| c. 1 c | Silver metal pin | 0 |
| 2 | Black plastic | 16 |
| 3 | Audion | - (|
| 4 | IC | ,5 - 2 |
| 5 | Beige plastic | (/ -/ |
| 6 | Gray plastic | <u>-</u> |
| 7 | Silver metal | 1,0 |
| 8 | Silver metal | XV - / |
| 9 | Gray plastic | - 6 |
| 10 | Beige plastic | -,(/, |
| 11 | IC | |
| 12 | Audion | - |
| 13 | Black plastic | |
| 14 | Silver metal pin | , C , - 1 |
| 15 | Silver solder tin | V -/- |
| 16 | PCB | \ <u>-</u> |
| 17 | PCB | /.~/ |
| 18 | Silver solder tin | - N |
| 19 | Transparent plastic film | CY - V |
| 20 | Black sticker with white/red printing | - CV |
| 21 | Yellow paper with green printing | -0-1 |
| 22 | Black foam with adhesive | C-) |
| 23 | Yellow paper with green printing | |
| 24 | Black foam with adhesive | C C. |
| 25 | Transparent plastic film | 0 - 9 |
| 26 | Black sticker with white/red printing | - |
| 27 | Red soft plastic wire jacket with white printing | Ca |
| 28 | Black soft plastic wire jacket with white printing | 7 |
| 29 | White soft plastic wire jacket with black printing | |
| 30 | Black plastic | - 0 |
| 31 | Red soft plastic wire jacket with white printing | 7 -6 |
| 32 | Black plastic | <u> </u> |
| 33 | Black soft plastic wire jacket with white printing | 6 |
| 34 | White soft plastic wire jacket with black printing | (/ - / |



Test Result(s):

<u>Heavy Metals</u>, Flame Retardants Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission <u>Delegated Directive (EU) 2015/863</u>

| Test Method: | See Appendix. | | ,6 | |
|--------------|---------------|--|----|--|

See Analytes and their corresponding Maximum Allowable Limit in Appendix

| Parameter | Lead (Pb) | Cadmium (Cd) | Mercury (Hg) | Chromium VI (Cr VI) | PBBs | PBDEs | Conclusion |
|--------------|--------------|-----------------|-----------------|------------------------|-------|-------|--------------|
| Unit | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | -,5 |
| Test Item(s) | - , | <i>P</i> | - | - | | | ` <u>'</u> \ |
| 001 | ND | ND | ND | ND | NA | NA | PASS |
| 002 | ND | ND | ND | ND - | ND* | ND* | PASS |
| 003 | ND | ND | ND | ND | ND | ND | PASS |
| 004 | ND | ND | ND | ND | ND | ND | PASS |
| 005 | ND | ND | ND | ND | ND | ND | PASS |
| 006 | ND | ND | ND | ND | ND | ND | PASS |
| 007 | ND | ND | ND | Negative* | NA | NA | PASS |
| 008 | ND | ND | ND | Negative* | NA | NA | PASS |
| 009 | ND | ND | ND | ND | ND | ND | PASS |
| 010 | ND | ND | ND | ND | ND | ND | PASS |
| 011 | ND | ND | ND | ND | ND | ND | PASS |
| 012 | ND | ND | ND | ND | ND | ND | PASS |
| 013 | ND | ND | ND | ND | ND* | ND* | PASS |
| 014 | ND | ND | ND | ND | NA | NA | PASS |
| 015 | ND | ND | ND | ND | NA | NA | PASS |
| 016 | ND | ND | ND | ND | ND* | ND* | PASS |
| 017 | ND | ND | ND | ND | ND* | ND* | PASS |
| 018 | ND | ND | ND | ND | NA | NA | PASS |
| 019 | ND | ND | ND | ND | ND | ND | PASS |
| 020 | ND | ND | ND | ND | ND | ND | PASS |
| 021 | ND | ND | ND | ND | ND | ND | PASS |
| 022 | ND | ND | ND | ND | ND | ND | PASS |
| 023 | ND | ND | ND | ND | ND | ND | PASS |
| 024 | ND | ND | ND | ND | ND | ND | PASS |
| 025 | ND | ND | ND | ND | ND | ND | PASS |
| 026 | ND | ND | ND | ND | ND | ND | PASS |
| 027 | ND | ND | ND | ND | ND | ND | PASS |
| 028 | ND | ND | ND | ND | ND | ND | PASS |
| 029 | ND | ND | ND | ND | ND | ND | PASS |
| 030 | ND | ND | ND | ND | ND* | 397* | PASS |
| 031 | ND | ND | ND | ND | ND | ND | PASS |

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

No.1, the $1^{\rm st}$ North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China



| 032 | ND | ND | ND | ND | ND* | 91* | PASS |
|-----|----|----|----|----|-----|-----|------|
| 033 | ND | ND | ND | ND | ND | ND | PASS |
| 034 | ND | ND | ND | ND | ND | ND | PASS |

Note / Key:

ND = Not detected ">" = Greater than

NA= Not applicable mg/kg = milligram(s) per kilogram = ppm = part(s) per million

% = percent 10000 mg/kg = 1 %

Detection Limit: See Appendix.

Phthalates Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission Delegated Directive (EU) 2015/863

| 19 .4 | Б . | Result (mg/kg) | | | | |
|-------------------------------------|---------------------|----------------|----------|----------|--|--|
| Analyte | Requirement (mg/kg) | Test Item | | | | |
| | (mg/kg) | 19+25 | 27+28+29 | 31+33+34 | | |
| Dibutyl phthalate (DBP) | 1000 | ND | ND | ND | | |
| Di-(2-ethyl hexyl) phthalate (DEHP) | 1000 | ND | ND | ND | | |
| Benzyl butyl phthalate (BBP) | 1000 | ND | ND | ND | | |
| Di-(iso-butyl) phthalate (DIBP) | 1000 | ND | ND | ND | | |
| Conclusion | / / / | PASS | PASS | PASS | | |

Note / Key:

ND = Not detected ">" = Greater than

NA= Not applicable mg/kg = milligram(s) per kilogram = ppm = part(s) per million

% = percent 10000 mg/kg = 1 %

Report Limit: See Appendix.

Remark:

- The testing approach is listed in table of Appendix.
- * denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.
- Only selected example(s) is (are) indicated on the photograph(s) in Comment.
- According to European Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Council Directive 2011/65/EU, Article 4(1).

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/



- a. The sample is positive for Cr^{6+} if the Cr^{6+} concentration is greater than $0.13\mu g/cm^2$, The sample coating is considered to contain Cr^{6+} .
 - b. The sample is negative for Cr^{6+} if the Cr^{6+} is N.D. (concentration less than $0.10\mu g/cm^2$), The coating is considered a non- Cr^{6+} based coating.
 - c. The result between $0.10 \mu g/cm^2$ and $0.13 \mu g/cm^2$ is considered to be inconclusive-unavoidable coating variations may influence the determination information on storage conditions and production date of the tested sample is unavailable and thus Cr^{6+} results represent status of the sample at the time of testing.

APPENDIX

| | | | Report Lir | 19 | | |
|----------------------|--|----------|----------------------------------|----------------------|---|-------------------|
| No. Name of Analytes | Name of Analytes | X-ray fl | uorescence | (XRF) ^[a] | | Maximum Allowable |
| NO. | Name of Analytes | Plastic | Metallic / glass / ceramic | Others | Wet Chemistry | Limit (mg/kg) |
| 1 | Lead (Pb) | 100 | 200 | 200 | 10 ^[b] | 1000 |
| 2 | Cadmium (Cd) | 50 | 50 | 50 | 10 ^[b] | 100 |
| 3 | Mercury (Hg) | 100 | 200 | 200 | 10 ^[c] | 1000 |
| 4 | Chromium (Cr) | 100 | 200 | 200 | NA | NA |
| 5 | Chromium VI (Cr VI) | NA | NA | NA | 10 ^[d] / See ^[e] | 1000 / Negative |
| 6 | Bromine (Br) | 200 | NA | 200 | NA | NA |
| 7 | Polybromobiphenyls (PBBs) - Bromobiphenyl (MonoBB) - Dibromobiphenyl (DiBB) - Tribromobiphenyl (TriBB) - Tetrabromobiphenyl (TetraBB) - Pentabromobiphenyl (PentaBB) - Hexabromobiphenyl (HexaBB) - Heptabromobiphenyl (HeptaBB) - Octabromobiphenyl (OctaBB) - Nonabromobiphenyl (NonaBB) - Decabromobiphenyl (DecaBB) | NA | NA | NA | Each 50 ^[f] | Sum 1000 |
| 8 | Polybromodiphenyl ethers (PBDEs) - Bromodiphenyl ether (MonoBDE) - Dibromodiphenyl ether (DiBDE) - Tribromodiphenyl ether (TriBDE) - Tetrabromodiphenyl ether (TetraBDE) - Pentabromodiphenyl ether (PentaBDE) - Hexabromodiphenyl ether (HexaBDE) - Heptabromodiphenyl ether (HeptaBDE) - Octabromodiphenyl ether (OctaBDE) - Nonabromodiphenyl ether (NonaBDE) - Decabromodiphenyl ether (DecaBDE) | NA | NA | NA | Each 50 [f] | Sum 1000 |
| 9 | Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-(iso-butyl) phthalate (DIBP) | NA | NA | NA | Each 50 [g] | Each 1000 |

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/




NA = Not applicable

- [a] Test method with reference to IEC 62321-3-1:2013.
- [b] Test method with reference to IEC 62321-5:2013.
- Test method with reference to IEC 62321-4:2013.
- Polymers and Electronic-Test method with reference to European standard IEC 62321-7-2:2017.
- [e] Metal-Test method with reference to European standard IEC 62321-7-1:2015.
- Test method with reference to European standard IEC 62321-6: 2015.
- Test method with reference to IEC 62321-8:2017.



Pb/Cd/Hg/Cr⁶⁺ Testing Flow Chart




Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/




PBBs/PBDEs Testing Flow Chart





Phthalates Testing Flow Chart



End of Report